

CHOOSING WISELY PRE-OPERATIVE CLINIC TESTING

	CBC	G&S	Creat	Lytes	Gluc	*LFTs	INR PTT	HB Electro- phoresis	BHCG	Serum HCO ₃	ECG	CXR
Surgical Procedure on Group and Screen List (refer to Maximum Surgical Blood Order Schedule).												
History of anemia, bleeding disorder and/ or active bleeding. Major cardiovascular disease. Liver or renal disease. Cancer diagnosis. Age greater than 70 or less than 1 year old.												
History of renal, adrenal, pituitary or major systemic endocrine disease.												
Use of digoxin, lithium, diuretics, ACE-1 or ARB. History of electrolyte abnormality.												
History of diabetes.												
History of systemic steroid use within 6 months.												
History of bleeding disorder, liver disease or malnutrition. Alcohol use greater than 2 drinks/ day for women and greater than 3 drinks/ day for men. Liver or pancreas resection.												
Use of anticoagulant drugs (except ASA).												
Sickle Cell high risk population (West Central Africa, Saudi Arabia, East central India, Southern Italy, Northern Greece, Southern Turkey, African American, Caribbean).												
For women where pregnancy is a possibility.												
For patients with COPD or Obstructive Sleep Apnea.												
Age greater than 60. History of cardiac disease, peripheral, cerebral or pulmonary vascular disease. Two or more risk factors (HTN, CKD, DM, OSA, BMI greater than 35). Major thoraco-abdominal surgery.												
Symptomatic respiratory or cardiac disease. History of lung cancer or mass.												

*LFTs includes AST, ALT, ALP, Bilirubin, Albumin